

Decision Making Methods

- The ELECTRE methods
- The **PROMETHEE** methods



Introduction to Decision Making Methods, János Fülöp
Laboratory of Operations Research and Decision Systems,
Computer and Automation Institute, Hungarian Academy of Sciences

<http://academic.evergreen.edu/projects/bdei/documents/decisionmakingmethods.pdf>

1. Decision Making Process

”Decision making is the study of identifying and choosing alternatives based on the values and preferences of the decision maker. Making a decision implies that there are alternative choices to be considered, and in such a case we want not only to identify as many of these alternatives as possible but to choose the one that best fits with our goals, objectives, desires, values, and so on. “

(Harris, 1980)

Decision making should start with the identification of the decision maker and stakeholder in the decision, reducing the possible disagreement about problem definition, requirements, goals and criteria.

A general **decision making process** can be divided into the following 8 steps: *Define the problem, Determine requirements, Establish goals, Identify alternatives, Define criteria, Select a decision making tool, Evaluate alternatives against criteria, and Validate solutions against problem statement.*

(Baker, 2001)

a) Define the problem

”This process must, as a minimum, identify root causes, limiting assumptions, system and organizational boundaries and interfaces, and any stakeholder issues. The goal is to express the issue in a clear, one-sentence problem statement that describes both the initial conditions and the desired conditions. “ The one-sentence limit is often exceeded in the practice in case of complex decision problems.

The problem statement must however be a concise and unambiguous written material agreed by all decision makers and stakeholders. Even if it can be sometimes a long iterative process to come to such an agreement, it is necessary point before proceeding to the next step.

b) Determine requirements

”Requirements are conditions that any acceptable solution to the problem must meet. Requirements spell out what the solution to the problem must do.”

In mathematical form, these requirements are the constraints describing the set of the feasible (admissible) solutions of the decision problem.

It is very important that even if subjective or judgmental evaluations may occur in the following steps, the requirements must be stated in exact quantitative form, i.e. for any possible solution it has to be decided unambiguously whether it meets the requirements or not.

We can prevent the ensuing debates by putting down the requirements and how to check them in a written material.

c) Establish goals

”Goals are broad statements of intent and desirable programmatic values.... Goals go beyond the minimum essential must have’s (i.e. requirements) to wants and desires.”

In mathematical form, the goals are objectives contrary to the requirements that are constraints.

The goals may be conflicting but this is a natural concomitant of practical decision situations.

d) Identify alternatives

”Alternatives offer different approaches for changing the initial condition into the desired condition.” Be it an existing one or only constructed in mind, any alternative must meet the requirements. If the number of the possible alternatives is finite, we can check one by one if it meets the requirements. The infeasible ones must be deleted (screened out) from the further consideration, and we obtain the explicit list of the alternatives. If the number of the possible alternatives is infinite, the set of alternatives is considered as the set of the solutions fulfilling the constraints in the mathematical form of the requirements.

e) Define criteria

”Decision criteria, which will discriminate among alternatives, must be based on the goals. It is necessary to define discriminating criteria as objective measures of the goals to measure how well each alternative achieves the goals.” Since the goals will be represented in the form of criteria, every goal must generate at least one criterion but complex goals may be represented only by several criteria.

It can be helpful to group together criteria into a series of sets that relate to separate and distinguishable components of the overall objective for the decision. This is particularly helpful if the emerging decision structure contains a relatively large number of criteria. Grouping criteria can help the process of checking whether the set of criteria selected is appropriate to the problem, can ease the process of calculating criteria weights in some methods, and can facilitate the emergence of higher level views of the issues. It is a usual way to arrange the groups of criteria, subcriteria, and sub-subcriteria in a tree-structure (UK DTLR, 2001).

Criteria should be:

- able to discriminate among the alternatives and to support the comparison of the performance of the alternatives,
- complete to include all goals,
- operational and meaningful,
- non-redundant,
- few in number.

(Baker ,2001)

In some methods (Keeney and Raiffa, 1976), non-redundancy is required in the form of independency.

We mention that some authors use the word attribute instead of criterion. Attribute is also sometimes used to refer to a measurable criterion.

f) Select a decision making tool

There are several tools for solving a decision problem. Some of them will be briefly described here, and references of further readings will also be proposed. The selection of an appropriate tool is not an easy task and depends on the concrete decision problem, as well as on the objectives of the decision makers. Sometimes the simpler the method, the better but complex decision problems may require complex methods, as well.

g) Evaluate alternatives against criteria

Every correct method for decision making needs, as input data, the evaluation of the alternatives against the criteria. Depending on the criterion, the assessment may be objective (factual), with respect to some commonly shared and understood scale of measurement (e.g. money) or can be subjective (judgmental), reflecting the subjective assessment of the evaluator. After the evaluations the selected decision making tool can be applied to rank the alternatives or to choose a subset of the most promising alternatives.

h) Validate solutions against problem statement

The alternatives selected by the applied decision making tools have always to be validated against the requirements and goals of the decision problem. It may happen that the decision making tool was misapplied. In complex problems the selected alternatives may also call the attention of the decision makers and stakeholders that further goals or requirements should be added to the decision model.

2. Single criterion vs. multiple criteria, finite number of alternatives vs. infinite number of alternatives

It is very important to make distinction between the cases whether we have a single or multiple criteria. A decision problem may have a single criterion or a single aggregate measure like cost.

Then the decision can be made implicitly by determining the alternative with the best value of the single criterion or aggregate measure. We have then the classic form of an optimization problem: the objective function is the single criterion; the constraints are the requirements on the alternatives.

Depending on the form and functional description of the optimization problem, different optimization techniques can be used for the solution, linear programming, nonlinear programming, discrete optimization, etc.

(Nemhauser, 1989).

... 2. Single criterion vs. multiple criteria, finite number of alternatives vs. infinite number of alternatives

The case when we have a finite number of criteria but the number of the feasible alternatives (the ones meeting the requirements) is infinite belongs to the field of multiple criteria optimization.

Also, techniques of multiple criteria optimization can be used when the number of feasible alternatives is finite but they are given only in implicit form.

(Steuer, R. E., 1986).

This brief survey focuses on decision making problems when the number of the criteria and alternatives is finite, and the alternatives are given explicitly. Problems of this type are called *multiattribute decision making problems*.

3. Multi-attribute decision making methods

Consider a multi-attribute decision making problem with m criteria and n alternatives. Let C_1, \dots, C_m and A_1, \dots, A_n denote the criteria and alternatives, respectively. A standard feature of multi-attribute decision making methodology is the *decision table* as shown below. In the table each row belongs to a criterion and each column describes the performance of an alternative. The score a_{ij} describes the performance of alternative A_j against criterion C_i . For the sake of simplicity we assume that a higher score value means a better performance since any goal of minimization can be easily transformed into a goal of maximization.

As shown in decision table, weights w_1, \dots, w_m are assigned to the criteria. Weight w_i reflects the relative importance of criteria C_i to the decision, and is assumed to be positive. The weights of the criteria are usually determined on subjective basis. They represent the opinion of a single decision maker or synthesize the opinions of a group of experts using a group decision technique, as well.

... 3. Multi-attribute decision making methods

The values x_1, \dots, x_n associated with the alternatives in the decision table are used in the MAUT methods (see below) and are the final ranking values of the alternatives. Usually, higher ranking value means a better performance of the alternative, so the alternative with the highest ranking value is the best of the alternatives.

		x_1	...	x_n
		A_1	...	A_n
w_1	C_1	a_{11}	...	a_{1n}
...
w_m	C_m	a_{m1}	...	a_{mn}

Table 1. *The decision table*

Multi-attribute decision making techniques can partially or completely rank the alternatives: a single most preferred alternative can be identified or a short list of a limited number of alternatives can be selected for subsequent detailed appraisal.

Besides some monetary based and elementary methods, the two main families in the multi-attribute decision making methods are those based on the Multi-attribute Utility Theory (MAUT) and Outranking methods.

The family of MAUT methods consists of aggregating the different criteria into a function, which has to be maximized. Thereby the mathematical conditions of aggregations are examined. This theory allows complete compensation between criteria, i.e. the gain on one criterion can compensate the lost on another.

(Keeney and Raiffa, 1976).

The concept of outranking was proposed by Roy (1968). The basic idea is as follows. Alternative A_i outranks A_j if on a great part of the criteria A_i performs at least as good as A_j (concordance condition), while its worse performance is still acceptable on the other criteria (non-discordance condition). After having determined for each pair of alternatives whether one alternative outranks another, these pairwise outranking assessments can be combined into a partial or complete ranking.

Contrary to the MAUT methods, where the alternative with the best value of the aggregated function can be obtained and considered as the best one, a partial ranking of an outranking method may not render the best alternative directly. A subset of alternatives can be determined such that any alternative not in the subset be outranked by at least one member of the subset. The aim is to make this subset as small as possible. This subset of alternatives can be considered as a shortlist, within which a good compromise alternative should be found by further considerations or methods.

3.1. Cost-benefit analysis

Cost-benefit analysis (CBA) is a worldwide used technique in decision making. CBA evaluates the costs and benefits of the alternatives on monetary basis. Recently, attempts have been made to incorporate the environmental impacts within CBA to improve the quality of environmental decision making. Although advances have been made, problems persist in applying CBA to environmental issues, including the monetary valuation of environmental impacts.

CBA has great attractions as a tool for guiding public policy:

- it considers the gains and losses to all members of the society on whose behalf the CBA is being undertaken;
- it values impacts in terms of a single, familiar measurement scale - money - and can therefore in principle show that implementing an alternative is worthwhile relative to doing nothing;
- the money values used to weight the relative importance of the different impacts are based on people's preferences generally using established methods of measurement.

CBA can be efficiently integrated into complex methods of environmental decision making. See Munda (1996) how CBA can be integrated into environmental assessment and US EPA (2000) for guidelines on economic analysis including cost and benefit analysis.

3.2. Elementary methods

These elementary approaches are simple and no computational support is needed to perform the analysis. These methods are best suited for problems with a single decision maker, few alternatives and criteria that is rarely characteristic in environmental decision making. (Linkov, 2004)

3.2.1. Pros and cons analysis

Pros and cons analysis is a qualitative comparison method in which good things (pros) and bad things (cons) are identified about each alternative. Lists of the pros and cons are compared one to another for each alternative. The alternative with the strongest pros and weakest cons is preferred. It requires no mathematical skill and is easy to implement. (Baker, 2001)

3.2.2. Maximin and maximax methods

The maximin method is based upon a strategy that tries to avoid the worst possible performance, maximizing the minimal performing criterion. The alternative for which the score of its weakest criterion is the highest is preferred. The maximin method can be used only when all criteria are comparable so that they can be measured on a common scale, which is a limitation. (Linkov, 2004)

3.2.3. Conjunctive and disjunctive methods

These methods require satisfactory rather than best performance in each criterion. The conjunctive method requires that an alternative must meet a minimal performance threshold for all criteria. The disjunctive method requires that the alternative should exceed the given threshold for at least one criterion. Any alternative that does not meet the conjunctive or disjunctive rules is deleted from the further consideration. These screening rules can be used to select a subset of alternatives for analysis by other, more complex decision making tools. Screening by conjunctive and disjunctive rules can also be applied in *Step b (Determine requirements)* of the decision making process (*see Section 1*).

(Linkov, 2004)

3.2.4. Lexicographic method

In the lexicographic method criteria are ranked in the order of their importance. The alternative with the best performance score on the most important criterion is chosen. If there are ties with respect to this criterion, the performance of the tied alternatives on the next most important criterion will be compared, and so on, till a unique alternative is found.

(Linkov, 2004)

3.3. MAUT methods

In most of the approaches based on the Multi-attribute Utility Theory (**MAUT**), the weights associated with the criteria can properly reflect the relative importance of the criteria only if the scores a_{ij} are from a common, dimensionless scale. The basis of **MAUT** is the use of utility functions. Utility functions can be applied to transform the raw performance values of the alternatives against diverse criteria, both factual (objective, quantitative) and judgmental (subjective, qualitative), to a common, dimensionless scale. In the practice, the intervals $[0,1]$ or $[0,100]$ are used for this purpose. Utility functions play another very important role: they convert the raw performance values so that a more preferred performance obtains a higher utility value. A good example is a criterion reflecting the goal of cost minimization. The associated utility function must result in higher utility values for lower cost values.

It is common that some normalization is performed on a nonnegative row in the matrix of the a_{ij} entries. The entries in a row can be divided by the sum of the entries in the row, by the maximal element in the row, or by a desired value greater than any entry in the row. These normalizations can be also formalized as applying utility functions.

3.3.1. Simple multiattribute rating technique (SMART)

SMART is the simplest form of the MAUT methods. The **ranking** value x_j of alternative A_j is obtained simply as the weighted algebraic mean of the utility values associated with it, i.e.

$$x_j = \frac{\sum_{i=1}^m w_i a_{ij}}{\sum_{i=1}^m w_i}, \quad j = 1, \dots, n.$$

Besides the above simple additive model, Edwards (1977) also proposed a simple method to assess weights for each of the criteria to reflect its relative importance to the decision. First, the criteria are ranked in order of importance and 10 points are assigned to the least important criterion. Then, the next-least-important criterion is chosen, more points are assigned to it, and so on, to reflect their relative importance. The final weights are obtained by normalizing the sum of the points to one. However, as Edwards and Barron (1994) pointed out, the comparison of the importance of attributes is meaningless if it does not reflect the range of the utility values of the alternatives as well. They proposed a variant named SMARTS (SMART using Swings) that in the course of the comparison of the importance of the criteria also considers the amplitude of the utility values, i.e. the changes from the worst utility value level to the best level among the alternatives. See also Barron and Barrett (1996) for further techniques.

3.3.2. Generalized means

In a decision problem the vector $\mathbf{x}=(x_1,\dots,x_n)$ plays a role of aggregation taking the performance scores for every criterion with the given weight into account. This means that the vector \mathbf{x} should fit into the rows of the decision matrix as well as possible. Mészáros and Rapcsák (1996) introduced an entropy optimization problem to find the vector \mathbf{x} of best fit. They pointed out that the optimal solution is a positive multiple of the vector of the weighted geometric means of the columns, consequently, with.

$$w = \sum_{i=1}^m w_i,$$

the values

$$x_j = \prod_{i=1}^m a_{ij}^{w_i/w}, \quad i = 1, \dots, n$$

constitute a reasonable and theoretically established system of ranking values. By introducing another entropy optimization problem, based on another measure of fitting, the weighted algebraic means (used also in SMART and additive linear models) were obtained as best fitting ranking values.

Mészáros and Rapcsák (1996) also proposed to determine the rating values in the form of generalized mean:

$$x_j = f^{-1}\left(\sum_{i=1}^m \frac{w_i}{W} f(a_{ij})\right), \quad i = 1, \dots, n,$$

where f is a strictly monotone real function. This wide class of means also includes the weighted algebraic and geometric means with $f(t)=t$ and $f(t)=\log(t)$, respectively.

3.3.3. The Analytic Hierarchy Process

The Analytic Hierarchy Process (AHP) was proposed by Saaty (1980). The basic idea of the approach is to convert subjective assessments of relative importance to a set of overall scores or weights. AHP is one of the more widely applied multiattribute decision making methods. We follow here the summary of UK DTRL (2000) on the AHP.

The methodology of AHP is based on pair wise comparisons of the following type 'How important is criterion C_i relative to criterion C_j ?' Questions of this type are used to establish the weights for criteria and similar questions are to be answered to assess the performance scores for alternatives on the subjective (judgmental) criteria.

Consider how to derive the weights of the criteria. Assume first that the m criteria are not arranged in a tree-structure. For each pair of criteria, the decision maker is required to respond to a pairwise comparison question asking the relative importance of the two. The responses can use the following nine-point scale expressing the intensity of the preference for one criterion versus another

1= Equal importance or preference.

3= Moderate importance or preference of one over another.

5= Strong or essential importance or preference.

7= Very strong or demonstrated importance or preference.

9= Extreme importance or preference.

If the judgment is that criterion C_j is more important than criterion C_i , then the reciprocal of the relevant index value is assigned.

Let c_{ij} denote the value obtained by comparing criterion C_i relative to criterion C_j . Because the decision maker is assumed to be consistent in making judgements about any one pair of criteria and since all criteria will always rank equally when compared to themselves, we have $c_{ij} = 1/c_{ji}$ and $c_{ii} = 1$.

This means that it is only necessary to make $m(m-1)/2$ comparisons to establish the full set of pairwise judgements for m criteria. The entries c_{ij} , $i, j = 1, m$, can be arranged in a pairwise *comparison matrix* C of size $m \times m$.

The next step is to estimate the set of weights that are most consistent with the relativities expressed in the comparison matrix. Note that while there is complete consistency in the (reciprocal) judgments made about any one pair, consistency of judgments between pairs, i.e. $c_{ij} c_{kj} = c_{ik}$ for all i, j, k , is not guaranteed. Thus the task is to search for an m -vector of the weights such that the $m \times m$ matrix W of entries w_i/w_j will provide the best fit to the judgments recorded in the pairwise comparison matrix C . Several techniques were proposed for this purpose.

Saaty's original method to compute the weights is based on matrix algebra and determines them as the elements in the eigenvector associated with the maximum eigenvalue of the matrix. The eigenvalue method has been criticized both from prioritization and consistency points of view and several other techniques have been developed. A number of other methods are based on the minimization of the distance between matrices C and W . Some of these approaches give the vector w directly or by simple computations, some other ones require the solution of numerically difficult optimization problems. One of these approaches, the logarithmic least squares method, results in a straightforward way of computing vector w : calculate the geometric mean of each row in the matrix C , calculate the sum of the geometric means, and normalize each of the geometric means by dividing by the sum just computed (Saaty and Vargas (1984)). See Gass and Rapcsák (2004) for further references on distance-minimizing methods and a new approach based on singular value decomposition.

In the practice the criteria are often arranged in a tree-structure. Then, AHP performs a series of pairwise comparisons within smaller segments of tree and then between sections at a higher level in the tree-structure.

Similarly to calculation of the weights for the criteria, AHP also uses the technique based on pairwise comparisons to determine the relative performance scores of the decision table for each of the alternatives on each subjective (judgemental) criterion. Now, the pairwise questions to be answered ask about the relative importance of the performances of pairs of alternatives relating the considered criterion. Responses use the same set of nine index assessments as before, and the same techniques can be used as at computing the weights of criteria.

With the weights and performance scores determined by the pairwise comparison technique above, and after further possible normalization, alternatives are evaluated using any of the decision table aggregation techniques of the MAUT methods. The so-called additive AHP uses the same weighted algebraic means as SMART, and the multiplicative AHP is essentially based on the computation of the weighted geometric means.

A number of specialists have voiced a number of concerns about the AHP, including the potential internal inconsistency and the questionable theoretical foundation of the rigid 1-9 scale, as well as the phenomenon of rank reversal possibly arising when a new alternative is introduced. On the same time, there have also been attempts to derive similar methods that retain the strengths of AHP while avoiding some of the criticisms. See Triantaphyllou, E. (2000) and Figueira et al. (2004) for state-of-art surveys and further references.

3.4. Outranking methods

The principal outranking methods assume data availability broadly similar to that required for the MAUT methods. That is, they require alternatives and criteria to be specified, and use the same data of the decision table, namely the a_{ij} 's and w_i 's.

Vincke (1992) provides an introduction to the best known outranking methods; see also Figueira et al. (2004) for state-of-art surveys. Here, the two most popular families of the outranking methods, the ELECTRE and the PROMETHEE methods will be briefly outlined.

3.4.1. The ELECTRE methods

The simplest method of the ELECTRE family is ELECTRE I.

The ELECTRE methodology is based on the concordance and discordance indices defined as follows. We start from the data of the decision matrix, and assume here that the sum of the weights of all criteria equals to 1.

For an ordered pair of alternatives (A_j, A_k) , the concordance index c_{jk} is the sum of all the weights for those criteria where the performance score of A_j is least as high as that of A_k , i.e.

$$c_{jk} = \sum_{i: a_{ij} \geq a_{ik}} w_i, \quad j, k = 1, \dots, n, \quad j \neq k.$$

Clearly, the concordance index lies between 0 and 1.

The computation of the discordance index d_{jk} is a bit more complicated: $d_{jk}=0$ if $a_{ij} > a_{ik}$, $i=1, \dots, m$, i.e. the discordance index is zero if A_j performs better than A_k on all criteria. Otherwise,

$$d_{jk} = \max_{i=1, \dots, m} \frac{a_{ik} - a_{ij}}{\max_{j=1, \dots, n} a_{ij} - \min_{j=1, \dots, n} a_{ij}}, \quad j, k = 1, \dots, n, \quad j \neq k,$$

i.e. for each criterion where A_k outperforms A_j , the ratio is calculated between the difference in performance level between A_k and A_j and the maximum difference in score on the criterion concerned between any pair of alternatives. The maximum of these ratios (which must lie between 0 and 1) is the discordance index.

A concordance threshold c^* and discordance threshold d^* are then defined such that $0 < d^* < c^* < 1$. Then, A_j outranks A_k if the $c_{jk} > c^*$ and $d_{jk} < d^*$, i.e. the concordance index is above and the discordance index is below its threshold, respectively.

This outranking defines a partial ranking on the set of alternatives. Consider the set of all alternatives that outrank at least one other alternative and are themselves not outranked. This set contains the promising alternatives for this decision problem. Interactively changing the level thresholds, we also can change the size of this set.

The ELECTRE I method is used to construct a partial ranking and choose a set of promising alternatives. ELECTRE II is used for ranking the alternatives. In ELECTRE III an outranking degree is established, representing an outranking creditability between two alternatives which makes this method more sophisticated (and, of course, more complicated and difficult to interpret).

See Figueira et al (2004) for more details and further members of the ELECTRE family.



3.4.2. The **PROMETHEE** methods

The decision table is the starting point of the **PROMETHEE** methodology introduced by Brans and Vincke (1985) and Brans et al. (1986). The scores a_{ij} need not necessarily be normalized or transformed into a common dimensionless scale. We only assume that, for the sake of simplicity, a higher score value means a better performance. It is also assumed that the weights w_i of the criteria have been determined by an appropriate method (this is not a part of the **PROMETHEE** methods), furthermore, $\sum_{i=1}^m w_i = 1$.

Here, following Brans and Mareschal (1994), we give a brief review of the **PROMETHEE** methods.

In order to take the deviations and the scales of the criteria into account, a preference function is associated to each criterion. For this purpose, a preference function $P_i(A_j, A_k)$ is defined, representing the degree of the preference of alternative A_j over A_k for criterion C_i . We consider a degree in normalized form, so that $0 \leq P_i(A_j, A_k) \leq 1$ and

- $P_i(A_j, A_k) = 0$ means no preference or indifference,
- $P_i(A_j, A_k) \approx 0$ means weak preference,
- $P_i(A_j, A_k) \approx 1$ means strong preference, and
- $P_i(A_j, A_k) = 1$ means strict preference.

In most practical cases $P_i(A_j, A_k)$ is function of the deviation $d = a_{ij} - a_{ik}$, i.e. $P_i(A_j, A_k) = p_i(a_{ij} - a_{ik})$ where p_i is a nondecreasing function, $p_i(d)=0$ for $d \leq 0$, and $0 \leq p_i(d) \leq 1$, for $d > 0$. A set of six typical preference functions was proposed by Brans and Vincke (1985) and Brans et al. (1986). The simplicity is the main advantage of these preferences functions: no more than two parameters in each case, each having a clear economical significance.

A multicriteria preference index $\pi(A_j, A_k)$ of A_j over A_k can then be defined considering all the criteria:

$$\pi(A_j, A_k) = \sum_{i=1}^m w_i P_i(A_j, A_k).$$

This index also takes values between 0 and 1, and represents the global intensity of preference between the couples of alternatives.

In order to rank the alternatives, the following precedence flows are defined:

Positive outranking flow:

$$\phi^+ (A_j) = \frac{1}{n-1} \sum_{k=1}^n \pi (A_j, A_k).$$

Negative outranking flow:

$$\phi^- (A_j) = \frac{1}{n-1} \sum_{k=1}^n \pi (A_k, A_j).$$

The positive outranking flow expresses how much each alternative is outranking all the others. The higher $\Phi^+(A_j)$, the better the alternative. $\Phi^+(A_j)$ represents the *power* of A_j , its *outranking* character.

The negative outranking flow expresses how much each alternative is outranked by all the others.

The smaller $\Phi^-(A_j)$, the better the alternative. $\Phi^-(A_j)$ represents the *weakness* of A_j , its *outranked* character.

The **PROMETHEE I** partial ranking

- A_j is *preferred* to A_k when $\Phi^+(A_j) \geq \Phi^+(A_k)$, $\Phi^-(A_j) \leq \Phi^-(A_k)$, and at least one of the inequalities holds as a strict inequality.
- A_j and A_k are *indifferent* when $\Phi^+(A_j) = \Phi^+(A_k)$ and $\Phi^-(A_j) = \Phi^-(A_k)$.
- A_j and A_k are *incomparable* otherwise.

In this partial ranking some couples of alternatives are comparable, some others are not. This information can be useful in concrete applications for decision making.

The **PROMETHEE II** complete ranking

If a complete ranking of the alternatives is requested by the decision maker, avoiding any incomparabilities, the *net outranking flow* can be considered:

$$\Phi(A_j) = \Phi^+(A_j) - \Phi^-(A_j).$$

The **PROMETHEE II** complete ranking is then defined:

- A_j is *preferred* to A_k when $\Phi(A_j) > \Phi(A_k)$, and
- A_j and A_k are *indifferent* when $\Phi(A_j) = \Phi(A_k)$.

All alternatives are now comparable, the alternative with the highest $\Phi(A_j)$ can be considered as best one. Of course, a considerable part of information gets lost by taking the difference of the positive and negative outranking flows.

*The **PROMETHEE V** under constraints*

Optimization under constraints is a typical problem of operations research. The problem of finding an optimal selection of several alternatives, given a set of constraints, belongs to this field.

PROMETHEE V extends ***PROMETHEE II*** to this selection problem. The objective is to maximize the total net outranking flow value of the selected alternatives meanwhile they are feasible to the constraints. Binary variables are introduced to represent whether an alternative is selected or not, and integer programming techniques are applied to solve the optimization problem.

*The **GAIA** visual modelling method*

The set of alternatives can be represented by n points in the m -dimensional space, where m is the number of criteria. As the number of criteria is usually greater than two, it is impossible to have a clear vision of these points. **GAIA** offers a visualization technique by projecting the points on a two-dimensional plane, where the plane is defined so that as few information as possible gets lost by the projection. The **GAIA** plane provides the decision maker with a powerful tool for the analysis of the differentiation power of the criteria and their conflicting aspects. Clusters of similar alternatives as well as incomparability between two alternatives are clearly represented. The projection of the vector of the weights of criteria suggests the direction, where the most promising alternatives can be found on the plane.

The methodology applied in **GAIA** appeared earlier in statistics as a visualization tool under the name of principal components analysis.

For the mathematical background of the methodology see (Rapcsák, 2004).

*Strengthening **PROMETHEE** with ideas of **AHP***

Some ideas of **AHP** can also be applied in the **PROMETHEE** methodology.

Recently, Macharis et al. (2004) proposed to use the pair wise comparison technique of **AHP** to determine the weights of the criteria.

Similarly, the use of the tree-structure to decompose the decision problem into smaller parts can also be beneficial.

References

- Aczél, J. and Saaty, T.L. (1983) .Procedures for synthesizing ratio judgements., *Journal of Mathematical Psychology*, 27, 93-102.
- Baker, D., Bridges, D., Hunter, R., Johnson, G., Krupa, J., Murphy, J. and Sorenson, K. (2002) *Guidebook to Decision-*
- *Making Methods*, WSRC-IM-2002-00002, Department of Energy, USA. http://emi-web.inel.gov/Nissmg/Guidebook_2002.pdf
- Barron, F.H. and Barrett, B.E. (1996) .The efficacy of SMARTER . Simple Multi-Attribute Rating Technique Extended to Ranking., *Acta Psychologica*, 93, 23-36.
- Bose, U., Davey, A.M. and Olson, D.L. (1997) .Multi-attribute utility methods in group decision making: Past applications and potential for inclusion in GDSS., *Omega*, 25, 691-706.
- Brans, J.P. and Vincke, Ph. (1985) "A preference ranking organization method", *Management Science*, 31, 647-656.
- Brans, J.P., Vincke, Ph. and Marechal, B. (1986) "How to select and how to rank projects: The PROMETHEE method", *European Journal of Operational Research*, 24, 228- 238.
- Brans, J.-P. and Mareschal, B. (1994) .The PROMCALC & GAIA decision support system for multicriteria decision aid., *Decision Support Systems*, 12, 297-310.
- Csáki, P., Rapcsák, T., Turchányi, P. and Vermes, M. (1995) .Research and development for group decision aid in Hungary by WINGDSS, a Microsoft Windows based group decision support system., *Decision Support Systems* 14, 205-21.
- Dyer, R.F. and Forman, E.H. (1992) .Group decision support with the Analytic Hierarchy Process., *Decision Support Systems*, 8, 99-124.
- Edwards, W. (1977) .How to use multiattribute utility measurement for social decisionmaking., *IEEE Transactions on Systems, Man, and Cybernetics*, SMC-7, 326-340.

- Edwards, W. and Barron, F.H. (1994) .SMARTS and SMARTER: Improved simple methods for multiattribute utility measurements., *Organizational Behavior and Human Decision Processes*, 60, 306-325.
- Ekárt, A. and Németh, S.Z. (2005) .Stability analysis of tree structured decision functions., *European Journal of Operational Research*, 160, 676-695.
- Figueira, J., Greco, S. and Ehrgott, M. (Eds.) (2004) *Multiple Criteria Decision Analysis: State of the Art Surveys*, Springer, New York.
- Forman , E. and Selly, M.A. (2001) *Decision by Objectives*, World Scientific.
- Gass, S. I. and Rapcsák, T. (1998) .A note on synthesizing group decisions., *Decision Support Systems*, 22, 59-63.
- Gass, S. I. and Rapcsák, T. (2004) .Singular value decomposition in AHP., *European Journal of Operational Research*, 154, 573-584.
- Harris, R. (1998) *Introduction to Decision Making*, VirtualSalt. <http://www.virtualsalt.com/crebook5.htm>
- Keeney, R.L. and Raiffa, H. (1976) *Decisions with Multiple Objectives: Performances and Value Trade-Offs*, Wiley, New York.
- Keeney, R.L. (1976) .A group preference axiomatization with cardinal utility., *Management Science*, 23, 140 .145.
- Lai, V.S., Bo K.W. and Cheung, W. (2002) .Group decision making in a multiple criteria environment: A case using the AHP in software selection., *European Journal of Operational Research*, 137, 134-144.
- Leyva-López, J-C. and Fernández-González, E. (2003) .A new method for group decision support based on ELECTRE III methodology., *European Journal of Operational Research*, 148, 14-27.
- Linkov, I., Varghese, A., Jamil, S., Seager, T.P., Kiker, G. and Bridges, T. (2004) .Multi-criteria decision analysis: A framework for structuring remedial decisions at the contaminated sites., In: Linkov, I. and Ramadan, A.B. (Eds.)
- *Comparative Risk Assessment and Environmental Decision Making*, Springer, New York, pp. 15-54.

- Macharis, C., Brans, J.P. and Mareschal, B. (1998). .The GDSS PROMETHEE Procedure., *Journal of Decision Systems*, 7, 283-307.
- Macharis, C., Springael, J., De Brucker, K. and Verbeke, A. (2004) .PROMETHEE and AHP: The design of operational synergies in multicriteria analysis.: Strengthening PROMETHEE with ideas of AHP., *European Journal of Operational Research*, 153, 307-317.
- Mareschal, B. (1988) .Weight stability intervals in multicriteria decision aid., *European Journal of Operational Research*, 33, 54-64.
- Mészáros, Cs. and Rapcsák, T. (1996) .On sensitivity analysis for a class of decision systems., *Decision Support Systems* 16, 231-240.
- Munda, G. (1996) .Cost-benefit analysis in integrated environmental assessment: some methodological issues., *Ecological Economics*, 19, 157-168.
- Nemhauser, G.L., Rinnoy Kan, A.H.G. and Todd, M.J. (1989) *Handbooks in Operations Research and Management Science: Volume 1 Optimization*, North-Holland, Amsterdam.
- Rapcsák, T. (2004) *Multiattribute Decision Making*, Lecture notes, Department of Decisions in Economics, Corvinus University, Budapest. (in Hungarian)
- Roy, B. (1968) "Classement et choix en présence de points de vue multiple (la méthode electre).", *RAIRO*, 2, 57-75.
- Saaty, T.L. (1980) *The Analytic Hierarchy Process*, McGraw Hill.
- Saaty, T.L. and Vargas, L.G. (1984) .Comparison of eigenvalue, logarithmic least squares and least squares methods in estimating ratios., *Mathematical Modelling*, 5, 309-324.
- Steuer, R. E. (1986) *Multiple Criteria Optimization: Theory, Computation and Application*, Wiley, New York.

- Triantaphyllou, E. and Sanchez, A. (1997) "A sensitivity analysis approach for some deterministic multi-criteria decision making methods", *Decision Sciences*, 28, 151-194.
- Triantaphyllou, E. (2000) *Multi-Criteria Decision Making Methods: A Comparative Study*, Kluwer Academic Publishers, Dordrecht.
- UK DTLR (2001) *Multi Criteria Analysis: A Manual*, Department for Transport, Local Government and the Regions, UK.
http://www.odpm.gov.uk/stellent/groups/odpm_about/documents/page/odpm_about_608524.hcsp
- US EPA (2000) *Guidelines for Preparing Economic Analysis*, United States Environmental Protection Agency, EPA 240-R-00-003. <http://yosemite.epa.gov/ee/epa/eed.nsf/webpages/Guidelines.html>
- Vincke, P. (1992) *Multi-criteria Decision-Aid*, John Wiley, Chichester.
- Wolters, W.T.M. and Mareschal, B. (1995) .Novel types of sensitivity analysis for additive MCDM methods., *European Journal of Operational Research*, 81, 281-290.

- *Promethee Methods*, [Jean-Pierre Brans](#), [Bertrand Mareschal](#)
- *A Preference Ranking Organisation Method: (The PROMETHEE Method for Multiple Criteria Decision-Making)*, J. P. Brans and Ph. Vincke, *Management Science*, Vol. 31, No. 6 (Jun., 1985), pp. 647-656, Published by: INFORMS, Stable URL:
<http://www.jstor.org/stable/2631441> .

<http://www.promethee-gaia.net/software.html>



[Download](#)



Visual PROMETHEE 1.4 Business Edition

For all decision-makers. License required.

Visual PROMETHEE 1.4 Academic Edition

For all non-profit academic research and teaching.

<http://www.promethee-gaia.net/files/VPManual.pdf>

The new **PROMETHEE-GAIA** software named **Visual PROMETHEE** is developed under the supervision of [Bertrand Mareschal](#) at **VPSolutions**.

The free **Academic Edition** of **Visual PROMETHEE** is available for all non-profit academic users. The [Business Edition](#) is available for all other uses.

Updated on September 5, 2013 - **Academic Edition**

Improved 1.4: Improved interface and Weighing Assistant. Thanks for so many downloads and advice.

[Download Visual PROMETHEE \(English\)](#) or [Local versions](#)

[Alternate download \(EN\) in zip format \(simply unzip\)](#)

The **Visual PROMETHEE** manual (EN) is now available as a separate download (updated September 6):

[PDF file](#)

[epub file](#) (for your iPhone, iPad, Sony Reader)

[mobi file](#) (for your Kindle)

<http://www.promethee-gaia.net/vpa.html>

... Next ... 8 ...

4. Group decision making ...

5. Sensitivity analysis ...