

## Facultatea de Matematica si Informatica

Comisia admitere, nivel licenta, sesiunea iulie 2022

### Lista candidatilor respinsi

Data generării: 25.07.2022 - 17:00

Nr. crt.	Nr. legitimatie	Media	Criteriu 1	Criteriu 2	Criteriu 3	Rezultat
1	1285	5.04	6.6	6.61	7	Respins
2	1833	8.4	9.5	9.48	10	Respins
3	2167	8.43	9.5	9.41	5.62	Respins
4	2125	4.4	9.5	8	7	Respins
5	2574	4.63	6.9	6.23	5.12	Respins
6	1500	4.53	4.25	8.46	4.25	Respins
7	1237	0	10	9.28	9.12	Respins
8	2424	6.23	8.7	7.65	7.12	Respins
9	1699	5.9	9.2	7.98	6.12	Respins
10	2729	7.52	5	6.36	5	Respins
11	1893	0	10	9.91	7.5	Respins
12	2670	0	9.2	8.01	9.12	Respins
13	2062	6.53	9.7	7.83	7.37	Respins
14	2735	6.62	9.7	9.05	9	Respins
15	2595	4.37	9.35	8.87	7	Respins
16	2512	6.55	9.4	9.46	7.25	Respins
17	1200	8.35	10	9.28	7.12	Respins
18	2345	7.55	10	9.15	9.75	Respins
19	1295	7.23	10	9.51	9.62	Respins
20	1992	9	10	9.65	9.12	Respins
21	2732	0	9	9.25	8.12	Respins
22	2398	6.5	9.3	8.51	5.62	Respins
23	1528	0	9.75	9.21	9.75	Respins
24	2296	7.4	10	9.43	9	Respins
25	2360	4.65	8.15	9.1	8.12	Respins
26	1225	7.1	10	9.76	9.62	Respins
27	2172	5.57	8.5	8.8	5.75	Respins
28	1371	4.63	9	8.05	7.87	Respins
29	2019	7.11	8.7	7.67	8.37	Respins
30	1964	4.25	9.2	7.9	8.75	Respins
31	2320	8.54	10	8.57	9.75	Respins
32	1903	9.55	10	9.65	9.87	Respins
33	2726	0	9	9.5	8.61	Respins
34	1757	6.7	10	9.1	7.37	Respins

35	2658	4.85	9.2	6.8	7.12	Respins
36	2432	8.41	9.7	9.23	10	Respins
37	1488	4.83	8.7	7.85	8.87	Respins
38	2363	4.57	9.15	8.5	7.62	Respins
39	1209	7.92	8.8	8.18	8.87	Respins
40	2725	6.58	10	8	9.37	Respins
41	2382	5.6	8.1	9.1	8.25	Respins
42	1812	4.25	7.45	7.85	7.25	Respins
43	2032	6.78	9.4	7.5	7.5	Respins
44	2627	4.35	8.9	7.76	9.5	Respins
45	2276	7.42	9.45	8.93	8.12	Respins
46	2128	7.68	9.45	9.01	7.5	Respins
47	2299	0	9.5	8.55	7.75	Respins
48	2166	9.45	10	9.7	9.75	Respins
49	2624	0	9.05	7.95	7	Respins
50	1885	5.6	9.8	9.31	8.87	Respins
51	2465	4.37	7	6.42	5.87	Respins
52	2223	6.23	6.65	7.21	7.25	Respins
53	2292	4.4	9.55	9.25	8.5	Respins
54	1819	7.45	9.85	9.6	9	Respins
55	2122	8	9.7	9.58	8.37	Respins
56	1855	5.15	9.5	9.18	8.87	Respins
57	2686	6.3	8.2	6.98	5.87	Respins
58	2316	0	10	9.43	8.37	Respins
59	1742	5.43	9.35	8.96	8.37	Respins
60	1922	3.7	8.55	8.5	6.87	Respins
61	2123	7.8	9.7	9.26	7.87	Respins
62	1825	0	9.25	8.73	8.62	Respins
63	1530	6.48	9.75	8.56	9.5	Respins
64	1385	8.1	10	9.85	10	Respins
65	2464	3.45	9.25	8.91	7.75	Respins
66	2481	6.35	9.25	8.65	7.25	Respins
67	1609	7.93	9.75	9.5	9	Respins
68	1976	8.6	10	9.75	9.62	Respins
69	2491	8.03	9.35	8.4	7.12	Respins
70	1436	8.51	10	9.63	8.25	Respins
71	2619	4.72	10	9.5	9.52	Respins
72	1440	8.7	10	9.03	8.75	Respins
73	1873	9.09	10	9.8	9.75	Respins
74	2575	6.17	9.75	9.4	9.37	Respins
75	2184	4.25	8.95	9.35	7.5	Respins
76	2665	6.15	10	9.9	6.75	Respins
77	1630	4.05	8.25	8.31	6.75	Respins
78	2653	8.2	10	9.45	9.87	Respins
79	1455	7.3	9.75	9.76	7.62	Respins
80	2254	0	10	9.7	9.75	Respins

81	2585	0	9.9	9.46	10	Respins
82	1864	6.45	9.6	9.1	8.87	Respins
83	2100	7.65	10	9.58	8.62	Respins
84	1305	5.9	8.9	7.8	6.87	Respins
85	2675	0	10	9.48	8.87	Respins
86	1770	6.45	9.9	8.68	7.12	Respins
87	1681	7.23	9.1	8.93	9.12	Respins
88	2606	5.7	8.9	8.68	6.62	Respins
89	2590	7.35	10	9.73	8.75	Respins
90	1223	7.85	10	9.35	7	Respins
91	1168	7.95	9.9	9.16	10	Respins
92	2375	8.91	10	9.93	9.12	Respins
93	2650	8.03	10	9.53	9.87	Respins
94	2581	0	9.8	9.01	9.37	Respins
95	2667	7.93	9.2	9.31	9.12	Respins
96	2162	7.38	9.15	8.8	7.25	Respins
97	1109	7.33	9.7	9.48	5.62	Respins
98	2557	4.13	6.4	6.71	6.87	Respins
99	1585	8.27	10	9.53	9.37	Respins
100	1606	4.15	9.1	8.61	6.62	Respins
101	2443	0	9.95	9.61	9.87	Respins
102	1248	7.69	9.6	8.98	7.87	Respins
103	2027	8.33	9.3	8.08	8.25	Respins
104	2680	4.8	9.05	7.65	6.62	Respins
105	2707	0	9.9	9.76	8.12	Respins
106	1253	6.7	8.8	8.65	8.5	Respins
107	2101	6.75	9.5	9.08	9.37	Respins
108	2555	4.2	9.6	8.81	6.37	Respins
109	1532	7.65	9.9	9.8	9.12	Respins
110	1703	7.9	10	9.65	9.62	Respins
111	2488	0	9.9	9.48	9.87	Respins
112	1260	5.98	10	9.38	7	Respins
113	2183	8.47	10	9.53	9.62	Respins
114	2440	6.55	9.5	8.8	7.37	Respins
115	2400	3.9	7	7.75	9.21	Respins
116	1934	9.69	9.9	9.53	9.5	Respins
117	2634	0	9.75	7.88	6.62	Respins
118	1801	8.62	9.95	9.28	9	Respins
119	2263	8.05	9.3	9.06	8.25	Respins
120	1943	8.03	10	8.85	8.87	Respins
121	2681	6.2	9.2	9.07	8.37	Respins
122	1463	8.33	9.9	9.48	8.87	Respins
123	1661	6.67	9.15	7.9	7.37	Respins
124	1647	0	8.9	7.93	7.25	Respins
125	2524	0	9.85	9.18	9.5	Respins
126	2343	6.9	10	9.4	8.75	Respins

127	2527	7.33	9.2	8.28	7.75	Respins
128	2131	9.05	10	9.28	9.5	Respins
129	2102	7.5	10	9.16	9.12	Respins
130	1175	5.45	8.75	8.31	8	Respins
131	2676	6.2	9.7	8.51	6.62	Respins
132	1304	4.96	8.1	6.95	6.25	Respins
133	1868	7.9	9.15	9.1	8.25	Respins
134	1538	6.95	8.85	8.46	6.5	Respins
135	2591	9.4	10	9.86	9.62	Respins
136	2230	6.35	10	9.36	9.5	Respins
137	2682	5.75	8.85	7.91	6.75	Respins
138	2518	5.65	9.4	8.33	8.5	Respins
139	1792	7.68	9.8	9.45	7.25	Respins
140	2323	8.15	10	9.58	7.5	Respins
141	1018	6.35	10	9.4	8.87	Respins
142	2405	0	9.7	9.61	6.5	Respins
143	2419	6.68	9.4	8.4	6.37	Respins
144	2654	2.7	7.5	7.06	5.37	Respins
145	1683	7.25	9.9	8.81	9	Respins
146	2499	8.55	10	10	10	Respins
147	1907	5.5	8.65	8.5	7.75	Respins
148	1048	8.3	10	9.83	9.62	Respins
149	1345	7.93	9.8	9.25	8	Respins
150	2083	6.5	9	8.68	8	Respins
151	1138	7.45	9.6	9.03	7.87	Respins
152	1548	6.1	9.25	8.58	7.62	Respins
153	2662	8.9	10	9.35	10	Respins
154	2479	5.85	8.3	8.63	6	Respins
155	2691	6.25	9.65	9.43	9.25	Respins
156	1564	7.68	9.75	9.51	9.87	Respins
157	2500	0	9.7	9.23	9.12	Respins
158	1641	6.95	10	9.78	9.75	Respins
159	1395	8.5	10	9.76	8.5	Respins
160	1916	8.15	10	9.8	7.12	Respins
161	2613	4.52	7.75	7.88	5.62	Respins
162	2529	4.5	8.35	7.5	5.37	Respins
163	1025	8.78	9.85	9.58	9.37	Respins
164	1815	7.53	9.05	8.7	6.87	Respins
165	2647	8.13	9.6	8.56	6.87	Respins
166	2414	0	10	9.8	9.75	Respins
167	1442	6.25	9.75	8.6	7.75	Respins
168	1069	6.68	9.85	9.43	8.5	Respins
169	1445	8.15	9.85	9.58	9.87	Respins
170	2728	5.95	10	9.56	9.44	Respins
171	1759	6.42	7.05	6.2	6.25	Respins
172	1590	0	9.9	9.51	7.5	Respins

173	2134	8.15	9.75	9.56	8.37	Respins
174	2641	5.4	9.8	9.2	9.5	Respins
175	1895	8.53	10	9.76	9.5	Respins
176	2688	0	9.75	9.65	8	Respins
177	2104	6.36	9.75	9.21	6.87	Respins
178	2644	3.99	9.3	8.85	5.12	Respins
179	2120	3.85	7.6	7.83	6.75	Respins
180	2721	7.33	9.7	9.61	9.75	Respins
181	2355	6.65	10	9.7	7.12	Respins
182	1629	6.02	9.6	9.46	9.75	Respins
183	2626	6.02	9.4	7.93	5.25	Respins
184	2744	0	10	8.75	9.57	Respins
185	2743	10	10	8.96	10	Respins
186	1563	7.5	9.8	9.11	8.37	Respins
187	2673	7.03	9.5	8.51	8.87	Respins
188	2406	8.16	9.65	8.88	9.37	Respins
189	2212	10	10	9.9	10	Respins
190	1653	0	10	9.63	9.87	Respins
191	1091	5.35	9.75	9.48	10	Respins
192	2407	6.65	9.3	8.3	6.25	Respins
193	2180	0	10	9.83	9.75	Respins
194	1813	7.4	8.45	7.88	6.37	Respins
195	2351	0	9.8	8.98	8.37	Respins
196	1134	8.08	10	9.76	8.37	Respins
197	2434	7	9.9	8.66	7.25	Respins
198	2389	3.4	9.62	6.15	9.62	Respins
199	2372	8.28	10	9.68	9.25	Respins
200	2478	3.25	9.85	9.38	10	Respins
201	1130	7.1	9.6	8.7	7.37	Respins
202	2404	10	10	9.76	9.87	Respins
203	2531	6.75	8.9	8.33	7.5	Respins
204	2137	8.4	10	9.41	7.87	Respins
205	2097	5.7	9.5	8.26	7.62	Respins
206	1451	9.81	10	9.65	9.5	Respins
207	2430	2	8.65	8.31	6.25	Respins
208	1155	7.7	10	9.93	9.37	Respins
209	2427	9.1	10	9.93	10	Respins
210	1877	7.8	9.75	9.26	7.37	Respins
211	1181	5.67	9.8	8.98	7.87	Respins
212	2579	7.42	9.7	9.03	5.75	Respins
213	2528	4.7	9.2	9	9.87	Respins
214	2421	4.9	10	8.98	7	Respins
215	2178	6.65	9.35	8.5	8.37	Respins
216	1273	7.32	9.2	8.75	7.12	Respins
217	1077	0	8.65	8.21	8.62	Respins
218	2497	8	8.75	8.1	5.75	Respins

219	2031	7.33	9.1	7.95	8.5	Respins
220	1481	7.5	8.35	8.15	6.5	Respins
221	1883	7.75	9.8	9.66	10	Respins
222	2267	6.75	8.4	7.56	8.25	Respins
223	2668	6.4	9.85	9.68	7.75	Respins
224	2718	0	8.4	8.38	6.75	Respins
225	1378	0	9.55	9.55	10	Respins
226	2522	4.35	6.7	8.4	9.12	Respins
227	1043	0	10	9.86	9.5	Respins
228	1503	5.37	5.4	7.26	5.62	Respins
229	1252	0	10	9.55	9.25	Respins
230	2437	5.65	9.6	8.41	6.12	Respins
231	2318	7.65	10	9.2	8.87	Respins
232	2697	7.83	9.45	9.01	7.75	Respins
233	2648	0	9.8	9.25	8.62	Respins
234	1626	7.07	9.7	9.03	8.25	Respins
235	1472	7.1	9.9	9.46	9.37	Respins
236	1493	7.2	9.65	9.45	8.75	Respins
237	2362	9.57	10	9.55	9.62	Respins
238	2228	8.18	10	9.15	8	Respins
239	2358	0	10	9.51	8.12	Respins
240	2388	5.95	9.5	9.28	8.75	Respins
241	1700	7.7	9.95	8.91	10	Respins
242	1648	7.95	9.75	9.71	9.5	Respins
243	2354	4.7	8.6	8.75	9.62	Respins
244	2507	7.27	9.8	9.43	8.75	Respins
245	2538	7.25	9.2	8.78	7	Respins
246	2473	6.68	9.2	8.57	6.75	Respins
247	1553	7.6	10	9.58	8.62	Respins
248	2150	6.33	8.7	8.01	7	Respins
249	1891	4.83	8.1	9.23	6.25	Respins
250	2504	3.95	9.95	9.31	8.37	Respins
251	1267	7.58	9.75	8.76	6.25	Respins
252	1897	8.05	9.9	9.88	9.37	Respins
253	1239	6.3	8.75	8.16	6.5	Respins
254	2649	6.6	9.6	9.25	8.75	Respins
255	2483	9.39	9.85	9.56	10	Respins
256	1857	6.85	10	8.61	8.5	Respins
257	1786	7.42	9.6	9.21	8.37	Respins
258	2695	8.28	8.05	8.18	6.75	Respins
259	1958	4.55	9	7.56	7.75	Respins
260	1542	5.25	9.7	9.45	8	Respins
261	1939	5.4	8.95	8.55	9.12	Respins
262	2081	0	9.9	9.81	9.62	Respins
263	2552	8.4	9.3	8.75	9.25	Respins
264	2716	0	9.15	7.51	8	Respins

265	2213	8.7	9.25	8.98	8.12	Respins
266	2079	6.03	9.2	9.2	7.37	Respins
267	1195	5.1	9	8.71	5.12	Respins
268	2332	9.6	9.85	9.65	9.25	Respins
269	1014	4.22	9.45	9.06	9.75	Respins
270	2369	0	9.95	9.48	8.5	Respins
271	2513	8.53	9.9	9.93	8.5	Respins
272	2620	0	10	9.36	8.5	Respins
273	2607	4.43	5.45	6.03	5.87	Respins
274	2559	6.17	9.6	9.23	6.37	Respins
275	2197	7.33	9.85	8.35	6.62	Respins
276	1533	6.43	9.75	9.43	6	Respins
277	1520	0	8.42	8.25	8.42	Respins
278	2216	6.46	8.3	6.9	8.25	Respins
279	1567	7.75	9.35	9.4	7.87	Respins
280	2638	0	9.9	9.15	7.87	Respins
281	2209	8.93	10	10	9.5	Respins
282	2244	5.9	9.2	8.3	7.62	Respins
283	2015	3.2	9.5	8.48	8.37	Respins
284	2368	8.12	10	9.51	9.37	Respins
285	2551	3.45	8.9	8.1	6.25	Respins
286	2282	8.5	10	9.61	8.87	Respins
287	1844	8.05	9.95	9.66	10	Respins
288	2712	3.64	6.4	6.1	6.25	Respins
289	2331	4.25	7.6	8.07	6.5	Respins
290	1836	8.41	9.65	9.45	8.25	Respins
291	2108	8.05	9.8	9.63	9.87	Respins
292	1081	0	9.85	9.63	10	Respins
293	1945	8.6	9.95	9.26	8.75	Respins
294	2199	8.68	10	9.4	9.5	Respins
295	2376	0	10	9.46	9.37	Respins
296	2417	8.25	10	9.6	6.5	Respins
297	2140	3.91	9.6	8.81	8.12	Respins
298	2018	7.15	9.35	9.28	7.62	Respins
299	2090	0	10	8.41	10	Respins
300	2510	5.3	8.65	6.83	6	Respins
301	2321	5.05	9.6	9.56	9.12	Respins
302	2463	7.5	9.35	7.18	5.87	Respins
303	1769	8.35	10	9.83	8.5	Respins
304	2207	7.68	10	8.83	7.75	Respins
305	2269	9.25	10	10	9.25	Respins
306	1715	6.13	9.55	9.36	6.62	Respins
307	1906	7.4	9.55	8.73	9.37	Respins
308	1562	0	10	9.51	7.25	Respins
309	2460	6.68	9.35	9.23	8.5	Respins
310	2190	6.73	8.95	8.75	9.37	Respins

311	1524	4.27	8.8	7.95	6.37	Respins
312	1143	0	9.75	9.58	7.62	Respins
313	1796	7.31	9.6	9.18	7.12	Respins
314	2450	7.1	10	9.41	9.12	Respins
315	1667	0	9.8	8.98	8.12	Respins
316	1852	8.4	9.95	9.45	9.5	Respins
317	1129	7.05	10	9.53	7.62	Respins
318	1997	4.35	8.6	8.4	6	Respins
319	2687	8.95	10	9.9	9.87	Respins
320	1783	8.4	9.75	9.26	9	Respins
321	1141	4.23	9.4	8.86	9.12	Respins
322	2487	6.6	9.85	9.68	7.87	Respins
323	2346	4.9	8.35	7.95	5.5	Respins
324	1289	5.75	9.85	9.61	8.37	Respins
325	2640	6.1	7.55	7.15	6.75	Respins
326	2709	7.48	8.86	8.28	8.12	Respins
327	2476	7.5	10	9.8	9.62	Respins
328	1875	8.41	9.6	9	9.25	Respins
329	2127	0	9.65	9.38	9.75	Respins
330	2614	0	9.2	9.15	7	Respins
331	2232	8.18	9.4	8.85	9.12	Respins
332	2484	4.93	9.65	8.73	7	Respins
333	2418	6.85	9.85	9.53	8.62	Respins
334	1991	6.1	9.6	9.03	8.75	Respins
335	1921	3.18	6.65	7.81	6.5	Respins
336	2087	7.85	9.8	8.65	8.37	Respins
337	2663	8.8	9.85	9.71	7.62	Respins
338	2671	7.13	10	8.58	7.5	Respins
339	1784	0	9.7	9.73	9	Respins
340	1766	7.75	9.7	9.4	9.87	Respins
341	2519	5.7	9.65	9.48	8.37	Respins
342	2503	8.3	9.25	9.25	9.25	Respins
343	2713	0	9.25	8.7	8.5	Respins
344	1055	8.45	10	9.56	7.75	Respins
345	2307	8.11	9.4	9.08	9.12	Respins
346	1231	7.56	9.85	9.51	8.25	Respins
347	2330	6.55	8.2	7.25	5.25	Respins
348	2700	3.28	8.45	7.08	6.37	Respins
349	2335	6.85	9	7.08	7.37	Respins
350	2609	7.68	10	9.5	9.94	Respins
351	1940	8.62	10	9.63	8.25	Respins
352	2589	6.93	9.3	8.05	7.87	Respins
353	1396	7.33	9.4	8.93	6.87	Respins
354	2205	8.32	9.9	9.71	9.87	Respins
355	1330	8.3	10	9.46	9.5	Respins
356	2164	8.22	9.75	9.43	9.5	Respins



357	2537	7.6	10	9.63	9.37	Respins
358	2080	6.68	9.35	9.43	6.87	Respins
359	1381	8.35	10	9.36	9.87	Respins
360	2195	4.2	8.4	7.38	7.62	Respins
361	2401	0	9.85	8.51	10	Respins
362	2272	7.5	10	9.56	8.62	Respins
363	2660	8.93	10	8.78	8.12	Respins
364	1937	3.15	6.1	6.81	5.75	Respins
365	1017	8.2	10	9.66	9.87	Respins
366	2635	8.78	9.95	9.5	9.75	Respins
367	2672	0	7	9	5.72	Respins
368	1741	6.15	8	6.95	5.62	Respins
369	2380	5.75	9.55	9.25	8.75	Respins
370	1446	8.7	9.65	9.23	8.75	Respins
371	2313	7.2	10	9.51	9.87	Respins
372	1970	0	10	9.65	9.37	Respins
373	1871	8.1	10	9.68	6.37	Respins
374	1763	0	8	7.51	5.5	Respins
375	2194	9.23	10	9.56	9.87	Respins
376	1425	6.41	9.15	7.7	6.37	Respins
377	2661	4.97	9.85	9.36	0	Respins
378	2535	6.47	10	9.28	7.12	Respins
379	1856	4.78	9.1	9.08	5.87	Respins
380	2071	6.73	9.95	9.46	9.75	Respins
381	2145	0	9.85	8.68	9.37	Respins
382	2170	4.77	8.4	7.88	6.5	Respins
383	1882	2.85	8.55	8.85	9.62	Respins
384	2130	0	9.95	9	9.25	Respins
385	2733	0	9.25	8.96	8.75	Respins
386	2293	0	9.85	9.21	8.62	Respins
387	2645	0	10	9.83	8.25	Respins
388	1390	7.97	9.9	8.96	8.87	Respins
389	2008	5.5	9.55	9.22	9.62	Respins
390	1581	7.98	9.7	9.23	8.37	Respins
391	1787	8.18	10	9.15	6.25	Respins
392	1492	4.48	8.3	8.11	8	Respins
393	1729	7.75	10	9.73	9.25	Respins
394	2720	7.12	8.9	8.78	6.62	Respins
395	2224	7.23	8.95	9	9.37	Respins
396	2711	7.08	9.05	8.18	5.25	Respins
397	2011	4.05	9.95	9.13	7.75	Respins
398	2325	8.03	9.15	8.45	9.12	Respins
399	2176	8.23	10	9.43	8.87	Respins
400	1965	5.65	10	9.73	10	Respins
401	1318	6.2	9.2	8.73	7.87	Respins
402	1823	7.98	9.8	9.23	8	Respins

403	2288	8.55	10	9.56	9.37	Respins
404	2482	7.43	8.3	7.76	6.87	Respins
405	2565	6.4	9.6	9.16	9	Respins
406	2561	0	9.9	9.55	9.12	Respins
407	1497	8.03	10	9.56	9.37	Respins
408	2333	0	10	9.78	10	Respins
409	1058	8.81	10	8.9	9.62	Respins
410	2698	0	10	8.88	7	Respins
411	2152	7.58	10	9.66	9.25	Respins
412	2530	4.75	7.75	8.46	7.75	Respins
413	2734	0	10	9.75	9.94	Respins
414	1501	0	10	9.51	10	Respins
415	2596	6.08	9.6	8.91	7.37	Respins
416	2597	7.13	9.35	7.96	8.62	Respins
417	2659	5.6	10	9.48	9.75	Respins
418	2685	0	10	9.61	9.62	Respins
419	2692	6.5	9.85	8.83	9.12	Respins
420	2392	6.75	9.1	8.68	7.5	Respins
421	2584	0	10	9.73	10	Respins
422	2243	6.78	9.1	8.81	5.87	Respins
423	2587	4.18	8.2	8.61	5.5	Respins
424	2580	4.41	6.55	6.68	6.37	Respins
425	1765	4.88	10	8.77	9	Respins
426	2017	3.95	9.7	9.48	10	Respins
427	2064	4.6	9.1	7.4	6.12	Respins
428	1733	5.6	10	9.48	8.5	Respins
429	2489	4.9	9.35	8.68	8.37	Respins
430	1826	8.85	9.9	9.15	9	Respins
431	1911	8.51	9.8	9.85	9.75	Respins
432	2544	9.5	10	9.5	9.5	Respins
433	2074	8.65	9.55	9.06	8	Respins
434	1595	6.7	9.2	9.01	8.25	Respins
435	2144	4.55	7.05	7.06	5.87	Respins
436	2336	0	8.95	7.23	7	Respins
437	1753	7.35	9.65	9.18	9.37	Respins
438	2399	7.68	10	9.6	8.75	Respins
439	2251	6.35	9.45	9.15	9.87	Respins
440	1888	7.85	10	9.03	10	Respins
441	1009	7.65	10	9.65	9.12	Respins
442	1270	4.33	8.2	7.21	6.62	Respins
443	2000	7.05	8.85	7.96	5.87	Respins
444	2616	0	10	8.83	9.87	Respins
445	2664	4.1	6.8	7.55	7	Respins
446	2628	6.45	9.9	9.45	10	Respins
447	1005	6.92	9.9	9.66	8.12	Respins
448	1912	7.05	10	9.4	8.62	Respins

449	2053	9.43	10	9.88	10	Respins
450	2021	6.85	8.15	7.51	7.12	Respins
451	1684	7.53	9.6	8.47	7.87	Respins
452	1867	0	9.8	8.01	7.87	Respins
453	1950	6.48	9.6	8.83	9.87	Respins
454	1843	7.73	9.65	9.21	9.25	Respins
455	1829	5.78	9.5	9.25	9.12	Respins
456	2723	4.07	8.85	8.15	7	Respins
457	2451	5.85	9.2	8.63	9.12	Respins
458	1876	6.05	9.7	8.83	7.12	Respins
459	1123	6.68	9.1	8.71	5.37	Respins
460	2693	6.65	9.15	7.88	7	Respins
461	1821	9.9	9.95	9.8	9.25	Respins
462	2257	4.57	6.3	6.26	6.5	Respins
463	2253	6.18	10	9.21	8.87	Respins
464	1776	7.62	9.75	9.28	7.37	Respins
465	1620	7.65	9.3	9.4	9	Respins
466	2202	4.2	8.95	9.1	7.12	Respins
467	1235	0	9.9	9.35	7	Respins

Presedinte comisie de admitere

Secretar comisie