

SQL*Plus[®] Quick Reference

Release 3.3

Part No. A42561-1

ORACLE[®]

The Relational Database Management System

SQL*Plus Quick Reference, Release 3.3

Part No. A42561-1

Copyright © 1986, 1993, 1995, 1996 Oracle Corporation

All rights reserved. Printed in the U.S.A.

Contributing Author: Frank Rovitto

Contributors: Larry Baer, Lisa Colston, Roland Kovacs, Karen Denchfield-Masterson, Alison Holloway, Christopher Jones, Anita Lam, Nimish Mehta, Luan Nim, Bud Osterberg, Richard Rendell, Farokh Shapoorjee, Larry Stevens, Andre Touma

This software was not developed for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It is the customer's responsibility to take all appropriate measures to ensure the safe use of such applications if the programs are used for such purposes.

This software/documentation contains proprietary information of Oracle Corporation; it is provided under a license agreement containing restrictions on use and disclosure and is also protected by copyright law. Reverse engineering of the software is prohibited.

If this software/documentation is delivered to a U.S. Government Agency of the Department of Defense, then it is delivered with Restricted Rights and the following legend is applicable:

Restricted Rights Legend Use, duplication, or disclosure by the Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of DFARS 252.227-7013, Rights in Technical Data and Computer Software (October 1988).

Oracle Corporation, 500 Oracle Parkway, Redwood City, CA 94065.

If this software/documentation is delivered to a U.S. Government Agency not within the Department of Defense, then it is delivered with "Restricted Rights", as defined in FAR 52.227-14, Rights in Data - General, including Alternate III (June 1987).

The information in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. Oracle Corporation does not warrant that this document is error free.

Oracle, SQL* Forms, and SQL*Plus are registered trademarks, and PL/SQL is a trademark of Oracle Corporation.

All other products or company names are used for identification purposes only, and may be trademarks of their respective owners.



SQL*Plus Quick Reference

This quick reference shows the syntax for SQL*Plus commands. For detailed information on each command, refer to the *SQL*Plus User's Guide and Reference*.

Conventions for Command Syntax

The following two tables describe the notation and conventions for command syntax used in this quick reference.

Commands, Terms, and Clauses

<i>Feature</i>	<i>Example</i>	<i>Explanation</i>
uppercase boldface	BTITLE	Enter text exactly as spelled; it need not be in uppercase.
lowercase italics	<i>column</i>	A clause value; substitute an appropriate value.
words with specific meanings	<i>c</i>	A single character.
	<i>char</i>	A CHAR value—a literal in single quotes—or an expression with a CHAR value.
	<i>d or e</i>	A date or an expression with a DATE value.
	<i>expr</i>	An unspecified expression.
	<i>m or n</i>	A number of an expression with a NUMBER value.
	<i>text</i>	A CHAR constant with or without single quotes.
	<i>variable</i>	A user variable (unless the text specifies another variable type).

Other words are explained where used if their meaning is not explained by context.

Punctuation

<i>Feature</i>	<i>Example</i>	<i>Explanation</i>
vertical bar		Separates alternative syntax elements that may be optional or mandatory.
brackets	[OFF ON]	One or more optional items. If two items appear separated by , enter one of the items separated by . Do not enter the brackets or .
braces	{ OFF ON }	A choice of mandatory items; enter one of the items separated by . Do not enter the braces or .
underlining	{ <u>OFF</u> ON }	A default value; if you enter nothing, SQL*Plus assumes the underlined value.
ellipsis	<i>n</i> . . .	Preceding item(s) may be repeated any number of times.

Enter other punctuation marks (such as parentheses) where shown in the command syntax.

Starting and Leaving SQL*Plus

Use the following commands to log in to and out of SQL*Plus.

```
SQLPLUS [[-S[ILENT]] [logon] [start]]|-?
```

Starts SQL*Plus from the operating system prompt.

logon Requires the following syntax:

```
username[/password][@database_spec]  
/|/NOLOG
```

start Requires the following syntax:

```
@file_name[.ext] [arg . . .]
```

```
{EXIT|QUIT} [SUCCESS|FAILURE|WARNING|n|variable]  
[COMMIT|ROLLBACK]
```

Commits all pending changes, terminates SQL*Plus, and returns control to the operating system.

Entering and Executing Commands

Use the following commands to execute and collect timing statistics on SQL commands and PL/SQL blocks.

`/ (slash)`

Executes the SQL command or PL/SQL block currently stored in the SQL buffer. Does not list the command.

`EXEC[UTE] statement`

Executes a single PL/SQL statement.

`R[UN]`

Lists and executes the SQL command or PL/SQL block currently stored in the SQL buffer.

`TIMI[NG] [START text | SHOW | STOP]`

Records timing data for an elapsed period of time, lists the current timer's name and timing data, or lists the number of active timers.

Use the following command to access the help system.

`HELP [topic]`

Accesses help on SQL*Plus commands, PL/SQL statements, and SQL statements.

Use the following command to execute host operating system commands.

`HO[ST] [command]`

Executes a host operating system command without leaving SQL*Plus.

Note: With some operating systems, you can use a "\$" (VMS), "!" (UNIX) or another character instead of HOST. See the Oracle installation and user's manual(s) provided for your operating system for details.

Use the following command to run a SQL*Forms form from within SQL*Plus.

RUNFORM [*options*] *form_name*

Invokes a SQL*Forms application from within SQL*Plus.

Manipulating SQL, SQL*Plus, and PL/SQL Commands

Use the following commands to edit SQL commands and PL/SQL blocks.

A[PPEND] *text*

Adds specified text to the end of the current line in the SQL buffer. To separate *text* from the preceding characters with a space, enter two spaces between APPEND and *text*. To append *text* that ends with a semicolon, end the command with two semicolons (SQL*Plus interprets a single semicolon as a command terminator).

C[HANGE] *sepchar old [sepchar [new [sepchar]]]*

Changes text on the current line in the SQL buffer. You can use any non-alphanumeric character such as “/” or “!” as a *sepchar*. You can omit the space between CHANGE and the first *sepchar*.

DEL [*n*|*n m*|*n **|*n LAST*|*|* *n*|* **LAST**|**LAST**]

Deletes one or more lines of the buffer (“*” indicates the current line). You can omit the space between DEL and *n* or *, but not between DEL and LAST. Enter DEL with no clauses to delete the current line of buffer.

I[NPUT] [*text*]

Adds one or more new lines of text after the current line in the buffer.

L[IST] [*n*|*n m*|*n **|*n LAST*|*|* *n*|* **LAST**|**LAST**]

Lists one or more lines of the buffer (“*” indicates the current line). You can omit the space between LIST and *n* or *, but not between LIST and LAST. Enter LIST with no clauses to list all lines.

Use the following commands to create and modify command files.

@ *file_name*[.ext] [*arg* ...]

Runs the specified command file. Specified arguments are substituted for &1, &2, etc.

@@ *file_name*[.ext]

Runs the specified nested command file.

ED[IT] [*file_name*[.ext]]

Invokes a host operating system text editor on the contents of the specified file or on the contents of the SQL buffer. To edit the buffer contents, omit the file name.

GET *file_name*[.ext] [**LIS**[T]|**NOL**[IST]]

Loads a host operating system file into the SQL buffer.

REM[ARK]

Begins a comment in a command file. The REMARK command must appear at the beginning of a line, and the comment ends at the end of the line (a line cannot contain both a comment and a command). SQL*Plus does not interpret the comment as a command.

SAV[E] *file_name*[.ext] [**CRE**[ATE]|**REP**[LACE]|**APP**[END]]

Saves contents of the buffer into a host operating system file (a command file).

STORE {**SET**} *file_name*[.ext] [**CRE**[ATE]|**REP**[LACE]|**APP**[END]]

Saves the attributes of the current SQL*Plus environment in a host operating system file (a command file).

STA[RT] *file_name*[.ext] [*arg* ...]

Executes the contents of the specified command file. Specified arguments are substituted for &1, &2, etc.

WHENEVER OSERROR {**EXIT** [**SUCCESS**|**FAILURE**|*n*|*variable*] [**COMMIT**|**ROLLBACK**] | **CONTINUE** [**COMMIT**|**ROLLBACK**|**NONE**] }

Exits SQL*Plus if an operating system error occurs (such as a file I/O error).


```
WHENEVER SQLERROR {EXIT [SUCCESS | FAILURE | WARNING |
n | variable] [COMMIT | ROLLBACK] | CONTINUE
[ COMMIT | ROLLBACK | NONE ] }
```

Exits SQL*Plus if a SQL command or PL/SQL block generates an error.

Use the following commands to write interactive commands.

```
ACC[EPT] variable [NUM[BER] | CHAR | DATE]
[FOR[MAT] format] [DEF[AULT] default]
[PROMPT text | NOPR[OMPT]] [HIDE]
```

Reads a line of input and stores it in a given user variable.

```
DEF[INE] [variable] | [variable = text]
```

Specifies a user variable and assigns it a CHAR value. Alternatively, lists the value and variable type of a single variable or all variables.

```
PAU[SE] [text]
```

Displays an empty line followed by a line containing text, then waits for the user to press [Return]. Alternatively, displays two empty lines and waits for the user's response.

```
PROMPT [text]
```

Sends the specified message or a blank line to the user's screen.

```
UNDEF[INE] variable ...
```

Deletes given user variables that you defined either explicitly (with the DEFINE command) or implicitly (with an argument to the START command).

Use the following commands to create and display bind variables.

```
PRI[NT] [variable ...]
```

Displays the current values of bind variables.

```
VAR[iable] [variable {NUMBER | CHAR | CHAR (n) |
VARCHAR2 (n) | REFCURSOR}]
```

Declares a bind variable which can then be referenced in PL/SQL. If no arguments are supplied, VARIABLE lists all declared bind variables.

Use the following symbols to create substitution variables and parameters for use in command files.

<code>&n</code>	Specifies a parameter in a command file you run using the START command. START substitutes values you list after the command file name as follows: the first for &1, the second for &2, etc.
<code>&user_variable,</code> <code>&&user_variable</code>	Indicates a substitution variable in a SQL or SQL*Plus command. SQL*Plus substitutes the value of the specified user variable for each substitution variable it encounters. If the user variable is undefined, SQL*Plus prompts you for a value <i>each</i> time an “&” variable is found, and the <i>first</i> time an “&&” variable is found.
<code>.</code> (period)	Terminates a substitution variable followed by a character that would otherwise be part of the variable name.

Formatting Query Results

Use the following commands to format, store and print your query results.

BRE[AK] [**ON** *report_element* [*action* [*action*]]] ...

Specifies where and how formatting will change in a report (e.g., skipping a line each time a given column value changes). Enter BREAK with no clauses to list the current BREAK definition.

report_element Requires the following syntax:
{*column* | *expr* | **ROW** | **REPORT**}

action Requires the following syntax:
[**SKI[P]** *n* | [**SKI[P]**] **PAGE**] [**NODUP[LICATES]** | **DUP[LICATES]**]

BTI[TLE] [*printspec* [*text* | *variable*] ...] | [**OFF** | **ON**]

Places and formats the specified title at the bottom of each report page, or lists the current BTITLE definition. See TTITLE for additional information on valid *printspec* clauses.

CL[EAR] *option ...*

Resets or erases the current value or setting for the specified option; *option* represents one of the following clauses:

BRE[AKS]
BUFF[ER]
COL[UMNS]
COMP[UTES]
SCR[EEN]
SQL
TIMI[NG]

COL[UMN] [{*column|expr*} [*option ...*]]

Specifies the display attributes for a given column, such as text for the column heading, or formats for LONG, CHAR, VARCHAR2 (VARCHAR), and NUMBER data; *option* represents one of the following clauses:

ALI[AS] *alias*
CLE[AR]
FOLD_A[FTER]
FOLD_B[EFORE]
FOR[MAT] *format*
HEA[DING] *text*
JUS[TIFY] {**L[EFT]** | **C[ENTER]** | **C[ENTRE]** | **R[IGHT]** }
LIKE {*expr|alias*}
NEWL[INE]
NEW_V[ALUE] *variable*
NOPRI[NT] | **PRI[NT]**
NUL[L] *text*
OLD_V[ALUE] *variable*
ON | **OFF**
WRA[PPED] | **WOR[D_WRAPPED]** | **TRU[NCATED]**

Enter COLUMN followed by *column* or *expr* and no other clauses to list the current display attributes for only the specified column or expression. Enter COLUMN with no clauses to list all current column display attributes.

Enter FORMAT followed by the appropriate format element to specify the display format for the column. To change the width of a CHAR, VARCHAR2 (VARCHAR), LONG, or Trusted Oracle column to *n*, use FORMAT *An*. (A stands for alphanumeric.)

To change the display format of a NUMBER column, use FORMAT followed by one of the elements in the following table:

<i>Element</i>	<i>Example(s)</i>	<i>Description</i>
9	9999	Number of "9"s specifies number of significant digits returned. Blanks are displayed for leading zeroes and for a value of zero.
0	0999 9990	Displays a leading zero or a value of zero in this position as a 0, rather than as a blank.
\$	\$9999	Prefixes value with dollar sign.
B	B9999	Displays a zero value as blank, regardless of "0"s in the format model.
MI	9999MI	Displays "-" after a negative value. For a positive value, a trailing space is displayed.
S	S9999	Returns "+" for positive values and "-" for negative values in this position.
PR	9999PR	Displays a negative value in <angle brackets>. For a positive value, a leading and trailing space is displayed.
D	99D99	Displays the decimal character in this position, separating the integral and fractional parts of a number.
G	9G999	Displays the group separator in this position.
C	C999	Displays the ISO currency symbol in this position.
L	L999	Displays the local currency symbol in this position.
, (comma)	9,999	Displays a comma in this position.
. (period)	99.99	Displays a period (decimal point) in this position, separating the integral and fractional parts of a number.
V	999V99	Multiplies value by 10^n , where n is the number of "9"s after the "V."
EEEE	9.999EEEE	Displays value in scientific notation (format must contain exactly four "E's").

<i>Element</i>	<i>Example(s)</i>	<i>Description</i>
RN or rn	RN	Displays upper- or lowercase Roman numerals. Value can be an integer between 1 and 3999.
DATE	DATE	Displays value as a date in MM/DD/YY format; used to format NUMBER columns that represent Julian dates.

COMP[UTE] [*function* [**LAB[EL]** *text*] ...
OF {*expr*|*column*|*alias*} ...
ON {*expr*|*column*|*alias*|**REPORT**|**ROW**} ...]

Calculates and prints summary lines, using various standard computations, on subsets of selected rows. Or, lists all COMPUTE definitions. The following table lists valid functions. All functions except NUMBER apply to non-null values only.

<i>Function</i>	<i>Computes</i>	<i>Applies to Datatypes</i>
AVG	Average of non-null values	NUMBER
COU[NT]	Count of non-null values	All types
MAX[IMUM]	Maximum value	NUMBER, CHAR, VARCHAR2 (VARCHAR)
MIN[IMUM]	Minimum value	NUMBER, CHAR, VARCHAR2 (VARCHAR)
NUM[BER]	Count of rows	All types
STD	Standard deviation of non-null values	NUMBER
SUM	Sum of non-null values	NUMBER
VAR[IANCE]	Variance of non-null values	NUMBER

REPF[OOTER] [**PAGE**] [*prints spec* [*text*|*variable*] ...] |
[OFF|ON]

Places and formats a specified report footer at the bottom of each report, or lists the current REPFOOTER definition. See REPHEADER for additional information on valid *prints spec* clauses.

**REPH[EADER] [PAGE] [*printspec* [*text|variable*] ...] |
[OFF|ON]**

Places and formats a specified report header at the top of each report, or lists the current REPHEADER definition. Use one of the following clauses in place of *printspec*:

COL *n*
S[KIP] [*n*]
TAB *n*
LE[FT]
CE[NTER]
R[IGHT]
BOLD
FORMAT *text*

SPO[OL] [*filename*[.ext]|OFF|OUT]

Stores query results in an operating system file and, optionally, sends the file to a printer. OFF stops spooling. OUT stops spooling and sends the file to your host computer's standard (default) printer. Enter SPOOL with no clauses to list the current spooling status.

TTI[TLE] [*printspec* [*text|variable*] ...]| [OFF|ON]

Places and formats a specified title at the top of each report page, or lists the current TTITLE definition. Use one of the following clauses in place of *printspec*:

COL *n*
S[KIP] [*n*]
TAB *n*
LE[FT]
CE[NTER]
R[IGHT]
BOLD
FORMAT *text*

Accessing Databases

Use the following commands to access and copy data between tables on different databases.

CONN[ECT] [*username*[/*password*][@*database_spec*] | /]

Connects a given username to Oracle. If you omit *database_spec*, connects you to the default database. If you omit *username* and/or *password*, SQL*Plus prompts for them. CONNECT followed by a slash (/) connects you using a default (ops\$) logon.

DISC[ONNECT]

Commits pending changes to the database and logs the current username off Oracle, but does not exit SQL*Plus.

COPY {**FROM** *username*[/*password*]@*database_spec* |
TO *username*[/*password*]@*database_spec* |
FROM *username*[/*password*]@*database_spec*
TO *username*[/*password*]@*database_spec* }
{**APPEND** | **CREATE** | **INSERT** | **REPLACE**} *destination_table*
[(*column*, *column* ...)]
USING *query*

Copies data from one Oracle database to a table in another. APPEND, CREATE, INSERT, or REPLACE specifies how COPY treats the existing copy of the destination table (if it exists). USING *query* identifies the source table and determines which rows and columns COPY copies from it.

Miscellaneous

DESC[RIBE] {[*user.*] *table*[@*database_link_name*]
[*column*] | [*user.*] *object*[.*subobject*] }

Lists the column definitions for the specified table, view, or synonym or the specifications for the specified function or procedure.

SET *system_variable value*

Sets a system variable to alter the SQL*Plus environment for your current session, such as setting the display width

for NUMBER data or the number of lines per page. Enter a system variable followed by a value as shown below:

```

APPI[NFO] {ON|OFF|text}
ARRAY[SIZE] {20|n}
AUTO[COMMIT] {OFF|ON|IMM[EDIATE]|n}
AUTOP[RINT] {OFF|ON}
AUTOT[RACE] {OFF|ON|TRACE[ONLY]} [EXP[LAIN]]
    [STAT[ISTICS]]
BLO[CKTERMINATOR] {.|c}
CLOSECUR[SOR] {OFF|ON}
CMDS[EP] {;|c|OFF|ON}
COLSEP {_|text}
COM[PATIBILITY] {V6|V7|NATIVE}
CON[CAT] {.|c|OFF|ON}
COPYC[OMMIT] {0|n}
COPYTYPECHECK {OFF|ON}
CRT crt
DEF[INE] {'&'|c|OFF|ON}
ECHO {OFF|ON}
EDITF[ILE] file_name[.ext]
EMBEDDED {OFF|ON}
ESC[APE] {\|c|OFF|ON}
FEED[BACK] {6|n|OFF|ON}
FLAGGER {OFF|ENTRY|INTERMED[IATE]|FULL}
FLU[SH] {OFF|ON}
HEA[DING] {OFF|ON}
HEADS[EP] {||c|OFF|ON}
LIN[ESIZE] [80|n]
LONG {80|n}
LONGC[HUNKSIZE] [80|n]
MAXD[ATA] n
NEWP[AGE] {1|n}
NULL text
NUMF[ORMAT] format
NUM[WIDTH] {10|n}
PAGES[IZE] {24|n}
PAU[SE] {OFF|ON|text}
RECSEP {WR[APPED]|EA[CH]|OFF}
RECSEPCHAR {_|c}
SERVEROUT[PUT] {OFF|ON} [SIZE n] [FOR[MAT]
    {WR[APPED]|WOR[D WRAPPED]|TRU[NCATED]}]
SHOW[MODE] {OFF|ON}
SQLC[ASE] {MIX[ED]|LO[WER]|UP[PER]}
SQLCO[NTINUE] {>|text}

```


SQLN[UMBER] {OFF|ON}
 SQLPRE[FIX] {#|c}
 SQLP[ROMPT] {SQL>|text}
 SQLT[ERMINATOR] {_ |c|OFF|ON}
 SUF[FIX] {SQL|text}
 TAB {OFF|ON}
 TERM[OUT] {OFF|ON}
 TI[ME] {OFF|ON}
 TIMI[NG] {OFF|ON}
 TRIM[OUT] {OFF|ON}
 TRIMS[POOL] {ON|OFF}
 UND[ERLINE] {-|c|ON|OFF}
 VER[IFY] {OFF|ON}
 WRA[P] {OFF|ON}

SHO[W] [*option*]

Lists the value of a SQL*Plus system variable. Use one of the following terms or clauses in place of *option*:

system_variable

ALL

APPI[NFO]

BTI[TLE]

ERR[ORS] [{FUNCTION|PROCEDURE|PACKAGE
|PACKAGE BODY|TRIGGER|VIEW}
[*schema.*]name]

LABEL

LNO

PNO

REL[EASE]

REPF[OOTER]

REPH[EADER]

SPOO[L]

SQLCODE

TTI[TLE]

USER

Enter any system variable set by the SET command in place of *system_variable*.

SQL Command List

SQL commands were formerly documented in SQL*Plus documentation. You should now refer to the *Oracle7 Server SQL Language Reference Manual* for full documentation of these commands and clauses. Below is a list of major SQL commands:

ALTER	LOCK TABLE
ANALYZE*	NOAUDIT
AUDIT	RENAME
COMMENT	REVOKE
COMMIT	ROLLBACK
CREATE	SAVEPOINT
DELETE	SELECT
DROP	SET ROLE*
EXPLAIN	SET TRANSACTION
GRANT	TRUNCATE*
INSERT	UPDATE

* Requires Oracle7

Notes

Notes

Notes

Notes

Reader's Comment Form

Name of Document: SQL*Plus® Quick Reference
Part No. A42561-1

Oracle Corporation welcomes your comments and suggestions on the quality and usefulness of this publication. Your input is an important part of the information used for revision.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where?
- Are the examples correct? Do you need more examples?
- What features did you like most about this manual?

If you find any errors or have any other suggestions for improvement, please indicate the topic, chapter, and page number below:

Please send your comments to:

SQL*Plus Documentation Manager
Oracle Systems Australia Pty Ltd
324 St. Kilda Road
Melbourne VIC 3004 Australia
+61 3 9209 1600 +61 3 9699 1259 (fax)

If you would like a reply, please give your name, address, and telephone number below:

Thank you for helping us improve our documentation.